

Scholar All articles Recent articles Results 1 - 10 of about 8,660 for **2001 image header data segment dai**

All Results

Tip: Looking for pictures? Try [Google Images](#)

[W Litwin](#)

[P Gupta](#)

[M Neimat](#)

[D Schneider](#)

[N McKeown](#)

[Scalable streaming of JPEG2000 images using hypertext transfer protocol - group of 9 »](#)

S Deshpande, W Zeng - Proceedings of the ninth ACM international conference on ..., 2001 - portal.acm.org

... 200/65531 CRLF [image data bytes 175-2001 --3986fdOb22d ... and streaming of portions of interest of the image. ... as a collection of all the header information of ...

Cited by 18 - [Related Articles](#) - [Web Search](#)

[Supporting rate guarantee and fair access for bursty data traffic in W-CDMA - group of 5 »](#)

AC Kam, T Minn, KY Siu - Selected Areas in Communications, IEEE Journal on, 2001 - ieeexplore.ieee.org

... cations such as Web surfing and downloading of image, music, etc. ... better to the proposed

3G W-CDMA standards header structure (see Section IV ... 11, NOVEMBER 2001 ...

Cited by 30 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Detecting traffic anomalies through aggregate analysis of packet header data - group of 11 »](#)

SS Kim, ALN Reddy, M Vannucci - Proceedings of Networking, 2004 - Springer

... dots at the bottom of the picture show detection ... NLNR network traffic packet header traces", accessed ... Security Symposium, Washington, DC, USA, August 2001. ...

Cited by 17 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Data structure for efficient retrieval of compressed texture data from a memory system - group of 3 »](#)

AC Goris, BA Alcorn - US Patent 6,243,081, 2001 - Google Patents

... SET DECOMPRESSION TYPE ACCORDING TO HEADER COMPRESSION/ DECOMPRESSION TYPE ... 5, 2001

Sheet 11 of 11 US 6,243,081 ... and then projecting the resultant image back to ...

Cited by 7 - [Related Articles](#) - [Web Search](#)

[LH*—a scalable, distributed data structure - group of 9 »](#)

W Litwin, MA Neimat, DA Schneider - ACM Transactions on Database Systems (TODS), 1996 - portal.acm.org

... LH*—A Scalable, Distributed Data Structure ... its bucket level (9 or 10 in Figure 2) in its header. ... Thus, each client has its own image of the file that can ...

Cited by 135 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[System and method for enabling a user to move between cyclically transmitted image streams - group of 2 »](#)

R Chernock, P Dettori, M Milenkovic, A Ruiz - US Patent 6,177,930, 2001 - Google Patents

... 23, 2001 Sheet 3 of 3 ... carousels and then wraps the packetized carousel image frames into ... MPEG-2 header data and transport stream header structures around the ...

Cited by 11 - [Related Articles](#) - [Web Search](#)

Cited by 22 - Related Articles - Web Search

[Cited by 54](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

2001 image header data segment data Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 12,100 for 2001 **data segment segment header**

All Results

[P Gupta](#)

[T Cormen](#)

[N McKeown](#)

[C Leiserson](#)

[A Das](#)

[Efficient per-flow queueing in DRAM at OC-192 line rate using out-of-order execution techniques - group of 6 »](#)

A Nikologiannis, M Katevenis - ... , 2001. ICC 2001. IEEE International Conference on, 2001 - [ieeexplore.ieee.org](#)

... write the **data** field of the arriving **segment** and read the **data** field of ... to depart at once - not multiple times: the buffer of every departing **segment** has to ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Algorithms for packet classification - group of 36 »](#)

P Gupta, N McKeown - Network, IEEE, 2001 - [ieeexplore.ieee.org](#)

... IEEE Network • March/April 2001 25 ... When the **data structure** is reconstructed from scratch, we call it pre ... Scalability in the number of **header** fields used ...

[Cited by 203](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A Caching Strategy to Improve iSCSI Performance - group of 10 »](#)

X He, Q Yang, M Zhang - [ieeexplore.ieee.org](#)

... stamps help the iCache driver to search for **segments**. ... iCache smoothes out the storage

data traffic between ... <http://sourceforge.net/projects/intel-iscsi>, 2001. ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A performance evaluation of storing XML **data** in relational database management systems - group of 2 »](#)

L Khan, Y Rao - Workshop On Web Information And Data Management, 2001 - [portal.acm.org](#)

... Atlanta, GA, USA © ACM 2001 1-58113 ... dtd"> <!-- Revision 1.5.0 **data**/OBOE, docs ... xmlTag="RequestForQuotation"> <table section="**header**"> <**segment** name="Transaction ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#)

[Data structure for efficient retrieval of compressed texture **data** from a memory system - group of 3 »](#)

AC Goris, BA Alcorn - US Patent 6,243,081, 2001 - Google Patents

... SET DECOMPRESSION TYPE ACCORDING TO **HEADER** COMPRESSION/ DECOMPRESSION TYPE ... 5, 2001

Sheet 9 of 11 US ... STARTING ADDRESS OF TARGET COMPRESSED TEXTURE **DATA SEGMENT** ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

[System and method for processing object-based audiovisual information - group of 4 »](#)

A Basso, A Eleftheriadis, H Kalva, A Puri, RL ... - US Patent 6,292,805, 2001 - Google Patents

... 18, 2001 ... The necessary memory required for randomly accessing **data** contained in files using ... by means of an improved physical object table/**segment** object table ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)

Dedicated input/output processor method and apparatus for access and storage of compressed **data** - group of 6 »

JE Bolan, BE Clark, GR Klouda, BM Walk - US Patent 6,317,747, **2001** - Google Patents
... Page 13. US Patent Nov. 13, **2001** Sheet 12 of 12 US 6,317,747 BI FIG. 1 3 ... 390 **DATA**
PAGE 392 Page 14. RESERVED RRCB LENGTHJYPE 1 **SEGMENT** TYPE ADDRESS OF
RRCB ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

Supporting rate guarantee and fair access for bursty **data** traffic in W-CDMA - group of 5 »

AC Kam, T Minn, KY Siu - Selected Areas in Communications, IEEE Journal on, **2001** -
ieeexplore.ieee.org

... better to the proposed 3G W-CDMA standards **header structure** (see Section ... 11,
NOVEMBER

2001 decoding a **data segment** using a leaf code yields ten information bits ...

[Cited by 30](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[book] Solaris Internals: Core Kernel Architecture - group of 3 »

J Mauro, R McDougall - 2000 - books.google.com

... Page 3. © **2001** Sun Microsystems, Inc. — Printed in the United States of America. ...
Loadable

Kernel Module Text and **Data** 209 ... 214 The Kernel Memory **Segment** Driver ...

[Cited by 54](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[PS] Long-range dependence and **data** network trac - group of 6 »

W Willinger, V Paxson, RH Riedi, MS Taqqu - Long-range Dependence: Theory and
Applications', Birkhauser ..., **2001** - aciri.org

... the sense that a **segment** of the trac measured at some ... not on its \meaning" as
revealed

by its **header** and/or ... a natural object to derive from this **data** and to ...

[Cited by 46](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 15,900 for 2001 **ascii s-record in memory**. (0.33 seconds)**[PDF] [Reference Guide For SRecCvt](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)Because the **S-Record** input file is converted from **ASCII** to binary data and placed in a **memory** array, there is no restriction on the address order or length ...www.ece.utep.edu/courses/web3376/manuals/SRecCvtRG.pdf - [Similar pages](#)**[Read Me\(SRecord\) Read Me\(SRecord\) NAME SRecord - manipulate EPROM ...](#)**The File Formats The **SRecord** package understands a number of file formats: **Ascii-Hex**The **ascii-hex** format is understood for both reading and writing. ...srecord.sourceforge.net/srecord-1.27.README - 27k - [Cached](#) - [Similar pages](#)**[Change Log\(SRecord\) Change Log\(SRecord\) RELEASE NOTES This file ...](#)**The "**ascii-hex**" file format is now understood for reading and writing. ... There is a new split filter, useful for wide data buses and **memory** striping. ...srecord.sourceforge.net/change_log.txt - 15k - [Cached](#) - [Similar pages](#)**[ARM/ARM9 Agilent AAED2000](#)**boot Monitor > m Load Motorola **S-Record** image into **memory** and execute it The ... Use the terminal emulator's **ASCII** upload command, or (on Linux) simply cat ...ecos.sourceware.org/docs-latest/redboot/aaed2000.html - 14k - [Cached](#) - [Similar pages](#)**[Embedded Forum Home - MVME162 programming flash with VxWorks](#)**The **S-Record** file is a special **ASCII** encoded version of the compressed binary ...Programming the MV162 Flash **Memory** for VxWorks using the traditional / ...[www.innovative-research.com/cgi/yabb/YaBB.cgi?](http://www.innovative-research.com/cgi/yabb/YaBB.cgi?board=MotorolaTechnical;action=display;num=1093723398)[board=MotorolaTechnical;action=display;num=1093723398](http://www.innovative-research.com/cgi/yabb/YaBB.cgi?board=MotorolaTechnical;action=display;num=1093723398) - 46k - [Cached](#) - [Similar pages](#)**[Color Computer stuff](#)**A monitor program; it lets you look at and change the contents of **memory**, load and save files, read and write disk sectors, jump to any address, etc. **ASCII** ...www.cs.unc.edu/~yakowenk/coco.html - 28k - [Cached](#) - [Similar pages](#)**[Debugging with GDB: Data](#)**Files may be in binary, Motorola **S-record**, Intel hex, or Tektronix Hex format; however, GDB can only append to binary files. dump [format] **memory** filename ...sources.redhat.com/gdb/current/onlinedocs/gdb_9.html - 105k - [Cached](#) - [Similar pages](#)**[New Micros, Inc - Nmin-0803 Help](#)**Power up your NMIN-0803-H3 board, all three leds are on, and the message: "(c) 2000-2001 Motorola Inc. **S-Record** loader. Version 1.3" will be displayed on ...www.newmicros.com/discussion/archive/index.php/t-500.html - 14k -[Cached](#) - [Similar pages](#)**[Serial Server](#)**The 2001 identifies the command as a request-for-data using list 1, ... It is computed by summing the binary bytes (not the **ASCII** character codes) beginning ...linac.fnal.gov/LINAC/software/locsys/localapp/SerialServerPage.html - 12k -[Cached](#) - [Similar pages](#)**[FAQ](#)**

Download the **Srecord** utilities that convert Srecords to Bin and Bin to Srecords. ... HEX is incompatible with FLASH **memory**. The empty part of the file is ...
xtronics.com/**memory**/EPROM.htm - 46k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **9,610** for **2001 mrb binary data structure**. (0.18 seconds)**Scholarly articles for 2001 mrb binary data structure**[A Survey on Multidimensional Access Methods](#) - Ahn - Cited by 9[Space Efficient Suffix Trees](#) - Munro - Cited by 42[The university of queensland binary translator \(uqbt\) ...](#) - Cifuentes - Cited by 12**[PDF] Michael R. Bowler - mrb.net Software & Services**

File Format: PDF/Adobe Acrobat

Completed 2 applications to download **binary data** files via email and parse ... Designed and created the database table **structure** and physical file folder ...www.mrb.net/mrbowlerresumeweb.pdf - [Similar pages](#)**Phys. Rev. A 63, 013413 (2001): Marcassa et al. - Collisional ...**In this context, the study of trap loss in a **binary** mixture comes at the right ... velocities greater than Rb because of their mass ratio($m_K / m_{Rb} 0.45$); ...link.aps.org/doi/10.1103/PhysRevA.63.013413 - [Similar pages](#)**Phys. Rev. A 63, 033406 (2001): Telles et al. - Trap loss in a two ...**The similar **data** analysis of the loss rates is presented in Sec. ... from the mass ratio effect: since the Rb mass is smaller than the Cs ($m_{Rb} / m_{Cs} 0.64$), ...link.aps.org/doi/10.1103/PhysRevA.63.033406 - [Similar pages](#)**[PDF] LNCS 3177 - DESCRY: A Density Based Clustering Algorithm for Very ...**

File Format: PDF/Adobe Acrobat

an adaptive k-d-tree [7] like **data structure** was used. The adaptive k-d-tree is. a **binary** tree that represents a recursive subdivision of the space I ...www.springerlink.com/index/WTL2GPR8PTET4XM1.pdf - [Similar pages](#)**[PDF] Space Efficient Suffix Trees**

File Format: PDF/Adobe Acrobat

The number of table lookup's is at most **mrb**. \tilde{Z} and each table lookup takes $O(b)$ time. ...Given a **binary** text of length n , there exists a **data structure** ...linkinghub.elsevier.com/retrieve/pii/S0196677400911519 - [Similar pages](#)**[Paper] Extending SQL to Support Image Content-based Retrieval**Images are stored as "**Binary** Large Objects - BLOBs" **data**, allowing their ... within the RDBMS," in VLDB'2001, Roma, pp. 687-690. [2] M. R. B. Araujo et al. ...www.actapress.com/PDFViewer.aspx?paperId=25082 - [Similar pages](#)**Method and apparatus for previewing the results of a data ...**The apparatus of claim 11 in which the **data structure** comprises a list **structure**. ... 17 shows the message response block (**MRB**) format for a Compute Cache ...www.freepatentsonline.com/6237000.html - 162k - [Cached](#) - [Similar pages](#)**[PDF] Towards Nanocomputer Architecture**

File Format: PDF/Adobe Acrobat

dynamic **data structures** that currently do not map well to ... Forshaw, M. R. B., Nikolic, K., Sadek, A. (2001). 3rd Annual ...portal.acm.org/ft_gateway.cfm?id=563950&type=pdf - [Similar pages](#)

[PDF] [Rotational period of WD 1953 – 011 – a magnetic white dwarf with a ...](#)

File Format: PDF/Adobe Acrobat

The **2001** July **data** had been taken with the Kitt Peak V filter, while the rest of the **data** were ... TRM, LMR and **MRB** also acknowledge the support of PPARC. ...

www.blackwell-synergy.com/doi/pdf/10.1111/j.1365-2966.2005.08649.x - [Similar pages](#)

[PDF] [arXiv:astro-ph/0106463 v1 26 Jun 2001](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

These **data** indicate that any **binary** period is probably ~ 10 years. This would be consistent with the failure of Barstow et al. (**2001**) to resolve the ...

www.citebase.org/fulltext?format=application%2Fpdf&identifier=oai%3AarXiv.org%3Aastro-ph%2F0106463 - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 header binary data structure

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 966,000 for **2001 header binary data structure** . (0.33 seconds)**Product search results for 2001 header binary data structure**[Allied Telesyn AT-8824 Intelligent Workgroup Ethernet Switch](#) - \$1,469.59 - 110220volts.com**Title Index**

... Information in Internet Messages: The Content-Disposition **Header** Field ... of the **2001**
ACM SIGMOD International Conference on Management of **Data** ...
[dret.net/biblio/titles](#) - 974k - [Cached](#) - [Similar pages](#)

XML.com: XML, SOAP and Binary Data

Following the precedent set forth by SOAP/1.1, the July **2001** SOAP/1.2 Working Draft ...
Even in the face of exotic in-memory or on-disk **data structures** for ...
[www.xml.com/pub/a/2003/02/26/binaryxml.html](#) - 43k - [Cached](#) - [Similar pages](#)

XML.com: XML, SOAP and Binary Data

In all likelihood, securing these **headers** would mean resorting to transport-level ... Even in
the face of exotic in-memory or on-disk **data structures** for ...
[www.xml.com/pub/a/2003/02/26/binaryxml.html?page=last](#) - 43k - [Cached](#) - [Similar pages](#)

Assigning Media Types to Binary Data in XML

This meta-**data** is used to indicate the set of media types the **binary data** may ... **header**
defined by HTTP 1.1 specification, Section 14.1 [IETF RFC 2616]. ...
[www.w3.org/TR/2004/WD-xml-media-types-20040608/](#) - 25k - [Cached](#) - [Similar pages](#)

Assigning Media Types to Binary Data in XML

The 'accept-extensions' of the HTTP 'Accept' **header** are not allowed in the ... This example
illustrates that **binary data** with media type 'image/jpeg' is ...
[www.w3.org/TR/2004/WD-xml-media-types-20041102/](#) - 31k - [Cached](#) - [Similar pages](#)

[PDF] UNDERSTANDING THE SOAP PROTOCOL AND THE METHODS OF TRANSFERRING ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
message that SOAP uses which shares the same **structure**. ... DIME's **binary** encoding at
the **headers** actually describes the **data** of each record rather than ...
[www.freestylemedia.com.au/Freestylemedia%20White%20Paper%20-%20SOAP.pdf](#) -
[Similar pages](#)

Web Services

This approach is codified by XML Schema's two **binary data** types, xs:base64Binary and ...
Even in the face of exotic in-memory or on-disk **data structures** for ...
[dev2dev.bea.com/webservices/Soap_Binary_Data.html](#) - 47k - [Cached](#) - [Similar pages](#)

Zend Technologies - Code Gallery Spotlight - Creating Zip Files ...

October 4, **2001**. Welcome back Adding files to the Zip **structure** ... it seems that if you try
to add **binary data**, like images, it will completely ruin them. ...
[www.zend.com/zend/spotlight/creating-zip-files3.php?article=creating-zip-files3&kind=sl&id=2607&a...](#) - 92k - [Cached](#) - [Similar pages](#)

[PDF] StaFF project proposal : Binary Data File Protocol 1 Introduction ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

legibility through the use of the strictly defined **header** and **data** labels. The basic **structure** is modelled loosely on the ATLAS **binary** file protocol, ...

www.pnp.physics.ox.ac.uk/~StaFF/public_docs/BinaryFileProposal.pdf - [Similar pages](#)

[PDF] [DataScript—a Specification and Scripting Language for Binary Data](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Many **data** formats are not sequential, but contain **headers** or directories whose entries store offsets into the file at which other **structures** start. ...

www.cs.vt.edu/~gback/papers/gback-datascript-gpce2002.pdf - [Similar pages](#)

News archive results for 2001 header binary data structure



2001 » [TCP Protocol Layers Explained](#) - Onlamp

2001 » [Integrating SOAP into ebXML](#) - ITworld.com

2001 » [SOAP: Simple Object Access Protocol.\(Technology Information\)](#) - \$6.95 - Electronic Design

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 header binary data structure

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 21 - 30 of about 966,000 for **2001 header binary data structure** . (0.08 seconds)**Working with XML and Information Systems > XML and digital data**

<email> <header> <name>To</name> <value>Lars Marius Garshol < ... Figure 1-2 shows the **structure** of our XML email document as the **data** model. ...

www.informit.com/articles/article.asp?p=29263&seqNum=3 - 25k - [Cached](#) - [Similar pages](#)

Binary data header vers 0.8

Hence there is a denormalization for the description of **data structure** but not its ...

Documentation, Base of the XML **header** associated to the **binary data**. ...

aramis.obsipm.fr/~alma/ASDMBIN/sdmDataHeader8.xsd.html - 237k -

[Cached](#) - [Similar pages](#)

The NTFS File System

The Sleuth Kit allows one to view all aspects of the NTFS **structure**. ... UNICODE

characters and other **binary data** (I would recommend just using the output ...

www.sleuthkit.org/sleuthkit/docs/skins_ntfs.html - 11k - [Cached](#) - [Similar pages](#)

!

*Moved all the encoding/decoding functions to the public **header** file so they ... many CRLF sequences were being removed from **binary data**, munging PNG files. ...

dehs.alieth.debian.org/wwiz_detail.php?id=8454190&type=up_changes - 7k -

[Cached](#) - [Similar pages](#)

[PDF] **Drummond Special Newsletter Update**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the SOAP limitations on **binary data** which must be encoded as required within an XML **structure**. This also allows more granularity by splitting **header**, ...

www.ebxml.org/documents/soap-drummond.pdf - [Similar pages](#)

xml-dev - Re: Binary Data in XML (a first pass?)

Data can be directly converted using standard BASE64 routines, and no generation or checking of **headers** needs to be done. 4) Leverage MIME power! ...

lists.xml.org/archives/xml-dev/199810/msg00001.html - 15k - [Cached](#) - [Similar pages](#)

Interfacing w MERIS L0 products

PHD - if set, then only Packet **Header** tags are tested DFH - if set, then **Data** ... reorganizes **binary data** and finally builds the output **structure** EXAMPLE: ...

www.acri-st.fr/tools/merlot/rd_pack.html - 17k - [Cached](#) - [Similar pages](#)

rfc 3072 it allows arbitrary structured data of

A chunk is a **data structure** with a fixed set of components. ... RFC 3072 Structured **Data** Exchange Format March 2001 After the chunk **header** for a compressed ...

www.rfc-editor.org/rfc/rfc3072.txt - 48k - [Cached](#) - [Similar pages](#)

[Xml-bin] Some central design issues

Care should be taken however to use minimal **data structures** when allocating ... 1) It's a CDATA > 2) It's a BDATA (**binary data**) - MIME type in the body too? ...

lists.warhead.org.uk/pipermail/xml-bin/2001-April/000025.html - 14k -

[Cached](#) - [Similar pages](#)

[PDF] **Efficient manipulation of binary data using pattern matching**

File Format: PDF/Adobe Acrobat

natural it is to specify the **structure** of IP packets and filter them using the **binary** syntax.
For example, the first four bits of the IP packet **header** ...

journals.cambridge.org/production/action/cjoGetFulltext?fulltextid=358596 - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

2001 header binary data structure

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 s-record header binary data structure

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 11,600 for **2001 s-record header binary data structure** . (0.22 seconds)[Resume of Joseph G. Pawletko](#)

US06327183, **2001**, Nonlinear stepped programming voltage ... This program relies on two files: a wafersort **data** file and a calculation sequence file. ...
cs.nyu.edu/~pawletko/resume/resume.html - 58k - [Cached](#) - [Similar pages](#)

[ImageMagick 5.3.6-1 \(6/30/2001\) RPM SRPM ImageMagick is an image ...](#)

GLIB includes generally useful **data structures**, GDK is a drawing toolkit which ... a number of file formats: Motorola **S-Record**, Intel, Tektronix, **Binary**. ...
www.haoli.org/rpm/redhat-7.x-i386-1.html - 69k - [Cached](#) - [Similar pages](#)

[Compiler and Development Tools](#)

GNU preprocessor that processes all the **header** files and macros that your ... An **S-record** is a printable ASCII representation of an executable **binary** image. ...
www.redhat.com/docs/manuals/gnupro/GNUPro-Toolkit-02r1/using.html - 72k - [Cached](#) - [Similar pages](#)

[\[PDF\] 72 end obey lines c 1980, 1986, 1997, 2001 by Gio Wiederhold.](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
organizations and will be encountered frequently. Similar **data structures** used in. memory, as m-way trees, are often quite narrow, most frequently **binary** (m ...
infolab.stanford.edu/pub/gio/dbd/acm/chap03.pdf - [Similar pages](#)

[bfd.texinfo](#)

It manages 116 memory and various canonical **data structures**. ... 189 a **header**, 190 @item 191 a number of sections containing raw **data** (@pxref{Sections}), ...
src.opensolaris.org/source/xref/sfw/usr/src/cmd/binutils/binutils-2.15/bfd/doc/bfd.texinfo - 28k - [Cached](#) - [Similar pages](#)

[\[PDF\] RTEMS Development Environment Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
the **data structures** could be "packed" to conserve memory. ... The following command will create a **binary** equivalent file for the two Motorola **S record** ...
www.rtems.com/onlinedocs/releases/4.5.1-pre3/rtemsdoc/pdf/develenv.pdf - [Similar pages](#)

[tutorials-blog.com >> forth >> header structure for intelligent ...](#)

The **data structure** for a named word would look like: link field name field ... test harnesses says that the forth can be converted to an **srecord** (somehow, ...
www.tutorials-blog.com/forth/header-structure-92637/ - 205k - [Cached](#) - [Similar pages](#)

[\[PDF\] SRecord](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Version 1.9 (27-Nov-**2001**). • The DEC **Binary** (XXDP) format is now understood for ...
Wherever possible, **header data** is now passed through by srec_cat(1). ...
srecord.sourceforge.net/srecord-1.27.pdf - [Similar pages](#)

[\[PDF\] A flash burning boot loader for the MPC555](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Note that we send the raw **binary data** rather than **s-record** lines. ... This utility fills out a **data structure** that reflects the configuration of the board ...
www.cloudcaptech.com/Datasheets/A%20flash%20burning%20boot%20loader%20for%

20the%20MPC555.pdf - [Similar pages](#)

[PDF] [Access Algorithms and Data Structures Underlying a Distributed ...](#)


File Format: PDF/Adobe Acrobat

Scalable Distributed **Data Structure**. February 2003. IST-2001-32429 ICONS ... We identify each **binary** string with a **binary** polynomial in one formal unknown x ...

[www.icons.rodan.pl/docs/ICONS_WP5_T1_D18_0105.pdf](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 889,000 for self descriptive binary data structure. (0.28 seconds)**An overview of the MetaKit data format**

BASIC DATA STRUCTURE. To describe the format used for the datafiles, ... These add a single level of indirection, and allow storing **binary data** as ...

www.equi4.com/metakit/format.html - 22k - [Cached](#) - [Similar pages](#)

[PDF] The Envisat data products - Geoscience and Remote Sensing ...

File Format: PDF/Adobe Acrobat

Binary Data sets. ASCII Headers ... Fig.1. PDS. file structure ... **self descriptive** HDF file containing Envisat **data**. PDS **data** file ...

ieeexplore.ieee.org/iel5/6913/18593/00858066.pdf - [Similar pages](#)

[PDF] Query processing for integration of information sources based on a ...

File Format: PDF/Adobe Acrobat

self-descriptive form. **Data** of various **structures** obtained ... atomic type of **binary data**, and so on, or a set of object. identities. ...

[dx.doi.org/10.1002/\(SICI\)1520-684X\(199903\)30:3%3C10::AID-SCJ2%3E3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1520-684X(199903)30:3%3C10::AID-SCJ2%3E3.0.CO;2-M) -

[Similar pages](#)

I improved and lengthened the descriptions of netCDF and PDB ...

The usual PDB format, which places the **self-descriptive** information at the end of the ...

The plain-text **binary data** description language defined below is a ...

web.mit.edu/yorick_v2.1/yorick/2.1/doc/FILE_FORMATS - 35k - [Cached](#) - [Similar pages](#)

Apparatus, system, and method for communicating a binary code ...

A **self-descriptive binary data structure** for communicating **binary data**, the **data structure** ... In this way, the **binary data structure** is **self descriptive**. ...

www.freepatentsonline.com/20050114391.html - 54k - [Cached](#) - [Similar pages](#)

Self-descriptive data tag - Patent 20030033280

A **data** tag containing **self-descriptive data**, a method for reading such a **data** ... their position in a field type look-up table or a similar **data structure**, ...

www.freepatentsonline.com/20030033280.html - 43k - [Cached](#) - [Similar pages](#)

[PDF] P1.21 DEVELOPMENT OF GTOOL4 NETCDF CONVENTIONS AND PROCESSOR ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

SELF DESCRIPTIVE FILE FORMAT FOR MULTI-DIMENSIONAL DATA —. TOYODA

Eizi* ... problems of GTOOL3, such as **binary** format portability ...

ams.confex.com/ams/pdfpapers/30365.pdf - [Similar pages](#)

Menai Corporation Gamelon File I/O Library Internet Usage

The overhead required in a Gamelon file to store completely **self-descriptive** internal **structure** and **data** types is minimal -- the smallest Gamelon file is ...

www.menai.com/html/internet.html - 20k - [Cached](#) - [Similar pages](#)

[PDF] EOQ 68

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ASCII headers, followed by a collection. of **binary data** sets. Unlike **data** formats. such as net-CDF or HDF, the products. are not **self-descriptive**. ...

esapub.esrin.esa.it/eq/eq68/Enviview_68.pdf - [Similar pages](#)

Moderated Chat: Fast Web Services

ASN.1 is a standard notation for describing **data structures**. ... instance loses all the **self-descriptive** capabilities although it is much more compact. ...
developers.sun.com/prodtech/javatools/jsenterprise/community/chats/july292004.html - 31k
- [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2001 data segments common object file format

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 1,070,000 for **2001 data segments common object file format**. (0.26 seconds)**object code: Definition and Much More from Answers.com**

It is **common** for the same **file format** to be used both as linker input and ... Most **object file** formats are structured as blocks of **data** all of the same sort ...
www.answers.com/topic/object-file - 52k - [Cached](#) - [Similar pages](#)

Chapter 4: Object Files

Chapter 5 discusses **segments** and the program execution view of the **file**. ... All **data** structures that the **object file format** defines follow the "natural" ...
www.sco.com/developers/gabi/2001-04-24/ch4.intro.html - 8k - [Cached](#) - [Similar pages](#)

Webopedia: Data Formats and Their File Extensions

GBG DraftMaker Drawing **File** .d00 Blaster Master Pro **File** AdLib **Format File**qd0 **Data file - segment 10** (Omnis Quartz) .qd1 **Data file - segment 1** (Omnis ...
www.webopedia.com/quick_ref/fileextensionsfull.asp - 158k - [Cached](#) - [Similar pages](#)

Cover Pages: XML Localization Interchange File Format (XLIFF)

XLIFF is an XML-based **file format** for the exchange of localization **data**, ... the <target> elements of an XLIFF document into a PO (Portable **Object**) **file**. ...
xml.coverpages.org/xliff.html - 35k - [Cached](#) - [Similar pages](#)

[PDF] Linking February 20, 2001 15-213File Format: PDF/Adobe Acrobat - [View as HTML](#)

ELF **object file format** .symtab section. • symbol tabletext **segment**. (r/o) .**data segment**. (initialized r/w) .bss **segment**. (uninitialized r/w) ...
www.cs.cmu.edu/afs/cs.cmu.edu/academic/class/15213-s01/lectures/class11.pdf - [Similar pages](#)

Exif file format

TIFF Header; IFD : Image **file** directory; **Data format**; IFD **data** structure ... This document is based on his Rev.1.11(2001/01/30) of document. ...
park2.wakwak.com/~tsuruzoh/Computer/Digicams/exif-e.html - 68k - [Cached](#) - [Similar pages](#)

HP-UX STK: Glossary

See also: hbss **segment**, text **segment** and **data segment**. ... The ELF 64 **object file format** is used for 64-bit **object** files in HP-UX 11.x. ...
devsrc1.external.hp.com/STK/gloss.html - 46k - [Cached](#) - [Similar pages](#)

[PDF] LNCS 2789 - An Oberon Linker for an Imperfect World More Notes on ...

File Format: PDF/Adobe Acrobat

data fork (empty). resource header. code **segment 1** ... code **segment n** ... Microsoft Portable Executable and **Common Object File Format** Specification. ...
www.springerlink.com/index/B2T1UU82LKQF3YAH.pdf - [Similar pages](#)

Object Files

Object Files. November 9, 2001. This document describes the LWO2 **file format** for 3D objects used by LightWave®. The LWO2 **format** is new for LightWave® 6.0. ...
www.newtek.com/lightwave/developer/LW80/8lwsdk/docs/filefmts/lwo2.html - 80k - [Cached](#) - [Similar pages](#)

[PDF] [National Electronic Disease Surveillance System \(NEDSS\)](#) [ELC ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

CORBA (**C**ommon **O**bject Request Broker Architecture) ... The entire string is called a **data segment**. ... XML provides a **file format** for representing **data**, ...

origin.cdc.gov/nedss/About/NEDSS_RFA_2001_attach.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google